Completed 03-08-2022

Revision: (date) -SDS version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade Name: Blue Circle SNOWCRETE WHITE CEMENT

Product- no.:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

Binder for natural and artificially produced aggregates in the form of sand, gravel and stone in the manufacture of mortar, plaster and concrete. The white cement do not contain water-soluble chromium 6+ and are therefore chromium-neutral, as no chromium-containing raw materials are used for the production. This complies with EU requirements for a maximum value of 2 mg / kg readable chromium (VI) in cement under normal and dry storage conditions without time limit.

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address:

Mediator LTD

78 York street, London, V1H 1DP

Phone: +45 21 42 08 24

Contact person and E-mail:

mediator-uk@mediator.as

The Safety data sheet is completed and validated by:

Mediator A/S, Centervej 2, DK-6000 Kolding. Consultant: KN

1.4. Emergency telephone number

NHS: 111

Use your national or local emergency number - See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP (1272/2008): Skin Irrit. 2;H315 Eye Dam. 1;H318 STOT SE 3;H335

See full text of H-phrases in section 16.

2.2. Label elements



Signal word:

Danger

Causes skin irritation. (H315) Causes serious eye damage. (H318) May cause respiratory irritation. (H335)

Avoid breathing dust. (P261)

Wear protective gloves/protective clothing/eyeprotection/face protection. (P280)

IF ON SKIN: Wash with plenty of water. (P302 + P352)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. (P304 + P340 + P312)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. (P305 + P351 + P338 + P310)

2.3. Other hazards

Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.

Contains: Calcium oxide. When mixed with water, calcium hydroxide is formed, which can have a corrosive effect on the skin and eyes.

Additional labelling:

_

Additional warnings

-

SECTION 3: Composition/information on ingredients

3.1./3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Portland cement	-/-	65997-15-1	266-043-4	Skin Irrit. 2;H315, Eye Dam. 1;H318, STOT SE 3;H335	60-100	-

See full text of H-phrases in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Seek fresh air.

Keep victim under observation.

Seek medical advice in case of breathing difficulties.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.

Do not induce vomiting.

Seek medical advice in case of discomfort.

Skin contact:

Remove contaminated clothing.

Wash the skin thoroughly with water and continue washing for a long time.

Seek medical advice in case of discomfort.

Eye contact:

Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice immediately. Continue flushing until medical attention is obtained.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances which cause irritation to skin and eyes, or when inhaled. Contact with locally irritative substances can cause the area of contact to be more prone to absorb damaging substances such as allergens.

Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Surrounding fire:

Extinguish with powder, foam, carbon dioxide or water mist.

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Avoid inhalation of vapour and fumes – seek fresh air.

Can generate harmful flue gases containing carbon monoxide in the event of fire.

5.3. Advice for firefighters

Extinguishing water which has been in contact with the product may be corrosive.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.

Avoid breathing and contact with skin and eyes.

6.2. Environmental precautions

Avoid unnecessary release to the environment.

6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers.

Do not sweep – use vacuum cleaner to collect spillage.

6.4. Reference to other sections

See section 8 for type of protective equipment.

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.

Use the product under well-ventilated conditions.

Running water and eye wash equipment must be available.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.

Keep in tightly closed original packaging.

Store in a well-ventilated area.

Store in a dry area.

7.3. Specific end use(s)

See application section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits according to EH40/2005 Workplace exposure limits (Fourth Edition 2020):

DNEL/PNEC-values:

DNEL Flue dust, portland cement

	vvorkers	Consumers
Inhalation - Chronic Local	0,84 mg/m³	0,84 mg/m ³
Inhalation - Acute Local	4 mg/m³	4 mg/m³

PNEC Flue dust, portland cement

 $\begin{tabular}{lll} Fresh water & 282 $\mu g/L$ \\ Intermittent releases (Fresh water) & 282 $\mu g/L$ \\ Marine water & 28 $\mu g/L$ \\ Soil & 5 $m g/kg$ soil dw \\ \end{tabular}$

8.2. Exposure controls

There are no exposure scenarios for this product.

Appropriate engineering controls:

Wear the personal protective equipment specified below.

Wash hands after use.

Personal protective equipment:









Respiratory protection:

In case of insufficient ventilation, wear respiratory protective equipment with filter P2.

Hand protection:

Wear protective gloves made of nitrile rubber.

Type of material and thickness: ≥ 0,06 mm

Penetration time: > 480 min.

Eye/face protection:

Wear safety goggles/face protection.

Skin protection:

Recommended:

Special work clothing should be used.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Powder White Colour: Odour: Odourless Melting point/ Freezing Point (°C): >1250

Boiling point or initial boiling point and boiling range (°C):

Flammability: Lower and upper explosion limit (vol-%):

Flash point (°C): Auto-ignition temperature (°C): Decomposition temperature (°C):

11-13,5, 20 °C (water-solid ratio: 1:2) nΗ·

Kinematic viscosity (mm2/s): Solubility: Miscible with water

Partition coefficient n-octanol/water (log value)

Vapour pressure:

Density and/or relative density: 2,75-3,2 g/cm3

Relative vapour density: Particle characteristics:

9.2. Other information

Particle size 5-30 µm

SECTION 10: Stability and reactivity

10.1. Reactivity

The content of chrome reducing agents will decrease with time.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid contact with moisture and water.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Based on the existing data, the classification is not met.

Substance exposure Species Test Result
No data. - - - - - - -

Skin corrosion/irritation:

Irritating to skin - may cause reddening.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on the existing data, the classification is not met.

Germ cell mutagenicity:

Based on the existing data, the classification is not met.

Carcinogenicity:

Based on the existing data, the classification is not met.

Reproductive toxicity:

Based on the existing data, the classification is not met.

STOT-single exposure:

Inhalation may cause irritation to the upper airways.

STOT-repeated exposure:

Based on the existing data, the classification is not met.

Aspiration hazard:

Based on the existing data, the classification is not met.

11.2. Information on other hazards

Test data are not available.

SECTION 12: Ecological information

12.1. Toxicity

Substance Test duration Species Test Result No data.

12.2. Persistence and degradability

Substance Biodegradability Test Result

No data. - -

12.3. Bioaccumulative potential

Substance Potential LogPow

bioaccumulation

No data. - -

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

EWC-Code	Description	
10 13 06	Particulates and dust (except 10 13 12 and 10 13 13)	
15 01 01	Paper and cardboard packaging	

Specific labelling:

-

Contaminated packaging:

Empty packaging and residues must be disposed of through the municipal waste collection service for hazardous waste.

SECTION 14: Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

14.1 -14.4.

ADR

IMDG

14.5. Environmental hazards

-

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Sources:

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

Additional labelling:

-

Restrictions for application:

Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product. Young people above 15 years are exempted this rule, if the product is a part of an education/training.

Demands for specific education:

-

15.2. Chemical safety assessment

None.

SECTION 16: Other information

According to EU regulation 1907/2006 (REACH)

Other information:

Sources:

EC regulation 1907/2006 (REACH), with amendments.

EC Regulation 1272/2008 (CLP), with amendments.

EU regulation no. 276/2010

Directive 2000/532/EC

ECHA - The European Chemicals Agency

Full text of H-phrases as mentioned in section 2+3:

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Classification according to Regulation (EC) Nr. 1272/2008:

Skin Irrit. 2;H315 Calculation method
Eye Dam. 1;H318 Calculation method
STOT SE 3;H335 Calculation method

Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

Minor changes have been made in following sections:

This material safety data sheet replaces version:

7/7